# 856 Ship Notice/Manifest

# Pick/Pack Structure WITH VENDOR DIRECT FULFILLMENT (VFD) ORDERS

Macy's GS1 Document Mapping

**GS1 Version 5010** Effective 10/21/2019

#### **PICK and PACK STRUCTURE**

#### Shipment/Order/Pack/Item

The following is an outline of what is required when receiving GS1 856 Ship Notice from a vendor.

Your Ship/Notice Manifest must be in our system the same day the order ships to the customer. An expense offset will be assessed if this requirement is not met. The tracking number should be the number used in the REF BM segment of the ship notice. For shipments with more than one carton for the same PO a new header segment and all detail segments should be repeated in order to send the multiple tracking numbers as separate Bills Of Lading in separate REF BM segments.

Deviation from the standard GS1 856 format may negate our ability to receive data from trading partners.

The segments listed below are the minimum requirements for the 856 system. Other segments and information can be defined and sent; however, system modifications may be required to accommodate them. For definitions of the segments, please see the GS1 retail industry conventions and guidelines for EDI.

The following segments are based on GS1 5010. Refer to individual manuals for differences in standards.

Do not send lowercase characters. Do not send spaces in the REF BM segment.

If you have questions or need assistance with testing this document, call the EC Technology group at (513) 782-1222.


**Note:** Macy's now requires vendors to send the order level PID segment to indicate compliance with the Fair Labor Standards Act.

**Note:** Functional Acknowledgments will be sent for all documents transmitted to Macy's by vendors.


#### **REQUIRED STRUCTURE**

The following diagrams detail the structure required in this document. Failure to adhere to this structure will cause the 856 data to be incompatible with receiving applications; therefore, this structure is considered mandatory.

The following example depicts the detail area of the Ship Notice/Manifest transaction for use within the retail industry.



Each box represents one hierarchical level and associated data segments detailed in this explanation. Required hierarchical levels are represented.



#### **Header Envelope Segments**

M*/O*	Segment	Data	Element	Value/Comments
M	ISA	ISA01	Qualifier	00
		ISA02	Authorization	Blanks
		ISA03	Qualifier	00
		ISA04	Security	Blanks
		ISA05	Qualifier	01 – Duns Number
				08 – UCC Communication ID
				12 – Telephone Number
			Sender ID	Sender's Identifier
			Qualifier	08 – UCC Communication ID
			Receiver ID	UCC Assigned Communication ID
		ISA09	Date	YYMMDD
		ISA10		HHMM
		ISA11	Standard ID	U – ANSI X.12
		ISA12	Version	00510
		ISA13	Control Number	Sequential Number
			Request Acknowledgment	0 – No
			Test Indicator	P – Production
		ISA16	Subelement Separator	>
M	GS	GS01	ID	SH
		GS02	Sender ID	Same as ISA06
		GS03	Receiver ID	Same as ISA08
		GS04	Date	CCYYMMDD
		GS05	Time	ННММ
		GS06	Control Number	Sequential Number
		GS07	Agency	X – ANSI X.12
		GS08	Version	005010GS1
			Header Segments	
М	ST		ID	856
		ST02	Control Number	Sequential Number

**Note**: For each separate UPS/FedEx tracking number, the ST header segment and its detail segments must be repeated in order to send multiple tracking numbers as separate Bills of Lading in separate REF BM segments.

M*/O*	Segment	Dat <b>⊉</b> ata	⊞erment	Vaalue/Commenns
M	BSN	BSN01	Transaction Set Purpose Code	00 – Original 07 – Duplicate
		BSN02	Ship Identification	Vendor's Shipment Number. Should be unique for Every 856.
		BSN03	Date	CCYYMMDD, Date Assigned to the Transmission of the Document
		BSN04	Time	HHMMSS, Time Assigned to the Transmission of the Document

### **Detail Segments**

М	HL	HL01	Hierarchical ID Number	1 – Shipment Level
	(Ship-	HL03	Hierarchical Level Code	Code Defining Level of Structure:
	ment)			S – Shipment
М	TD1	TD101	Packaging Code	CTN25
				PLT76
		TD102	Lading Quantity	Total Number of Cartons for
				Shipment
		TD106	Weight Qualifier	G – Gross Weight
		TD107	Weight	Numeric Value of Weight
		TD108	UOM Code	LB – Pound
				KG – Kilogram
M	TD5	TD504	Transportation Method Code	M – Motor
			·	A – Air
				C – Consolidate
		TD505	Routing	Free-form Description of Routing
				(Carrier or Carrier's Four-character
				SCAC Code)
		TD506	Shipment/Order Status Code	CC – Ship Complete
М	REF	REF01	Reference Number Qualifier	BM – Bill of Lading Number or
				tracking number
		REF02	Reference Number	Shipment tracking number (small
				package carriers, i.e. UPS or
				FedEX)

**Note:** Tracking number must be unique for each shipment. Receipt of duplicate bill of lading numbers will be rejected from our system, unless the BSN01 is flagged '07' (retransmission).

//*/O*	Segment	Data	Element	Value/Comments
М	DTM	DTM01	Date/Time Qualifier	Code to Identify Date/Time Type:
				011 – Shipped
		DTM02	Shipment Date	CCYYMMDD, Estimated Ship Date
М	DTM	DTM01	Date/Time Qualifier	Code to Identify Date/Time Type:
				067 – Current Schedule Delivery
		DTM02	Delivery Date	CCYYMMDD, Estimated Delivery Date
0	FOB	FOB01	Shipment Payment Method	CC – Collect PP – Prepaid
М	N1	N101	Entity Identifier Code	Code to Identify Organization or Physical Location
		N103	Identification Code	ST – Ship To (Distribution Center) Method of Code Structure:
			Qualifier	92 – Assigned by Buyer
		N104	Identification Code	DS
M	N1	N101 E	Entity Identifier Code	Code to Identify Organization or Physical Location
M	N1		Entity Identifier Code	
M	N1	N102 N	Name	Physical Location SF – Ship From Free-form Name of Shipper
		N102 N	·	Physical Location SF – Ship From
M	N4	N102 N N401 ( N402 S egment is	Name City Name	Physical Location SF – Ship From Free-form Name of Shipper  Name of City State Code, for example: NY, GA
M	N4 o <b>te:</b> N4 se	N102 N N401 ( N402 S egment is e SF.	Name City Name State or Province	Physical Location SF – Ship From Free-form Name of Shipper  Name of City State Code, for example: NY, GA th the N1 with N101 ID-
M No	N4 ote: N4 se Code	N102 N N401 O N402 S egment is e SF.	Name City Name State or Province only used in association wit	Physical Location SF – Ship From Free-form Name of Shipper  Name of City State Code, for example: NY, GA
M No	N4 ote: N4 se Code	N102 N N401 ( N402 S egment is SF. HL01 H HL03 H	Name City Name State or Province only used in association wit	Physical Location SF – Ship From Free-form Name of Shipper  Name of City State Code, for example: NY, GA th the N1 with N101 ID-  Unique Number O – Order
M No	N4  ote: N4 se Code  HL (Order)  PRF	N102 N N401 ( N402 S egment is SF.  HL01 H HL03 H PRF01 F	Name City Name State or Province only used in association wit Hierarchical ID Number Hierarchical Level code Purchase Order Number	Physical Location SF – Ship From Free-form Name of Shipper  Name of City State Code, for example: NY, GA th the N1 with N101 ID-  Unique Number O – Order  Identifying Purchase Order Number from Retailer
M No	N4  ote: N4 se Code  HL (Order)  PRF  ote: Macy' andards A	N102 N N401 O N402 S egment is SSF. HL01 H HL03 H PRF01 F	Name City Name State or Province only used in association wit Hierarchical ID Number Hierarchical Level code Purchase Order Number vendors to indicate compliance	Physical Location SF – Ship From Free-form Name of Shipper  Name of City State Code, for example: NY, GA th the N1 with N101 ID-  Unique Number O – Order  Identifying Purchase Order Number from Retailer  ance with the Fair Labor
M No	N4  ote: N4 se Code  HL (Order)  PRF	N102 N N401 C N402 S egment is SF.  HL01 H HL03 H PRF01 F s requires ct in the P PID01	Name City Name State or Province only used in association wit Hierarchical ID Number Hierarchical Level code Purchase Order Number	Physical Location SF – Ship From Free-form Name of Shipper  Name of City State Code, for example: NY, GA th the N1 with N101 ID-  Unique Number O – Order  Identifying Purchase Order Number from Retailer

М	TD1	TD101	Packaging Code	CTN25
				PLT76
		TD102	Lading Quantity	Total Number of cartons for
			3	PO/store
0	REF	REF01	Ref Number Qualifier	IV – Sellers Invoice Number
		REF02	Ref Number	Invoice Number
М	N1	N101	Entity Identifier Code	BY – Buying Party
		N103	Identification Code Qualifier	92 – Assigned by Buyer
		N104	Identification Code	0149 – Macy's VDF location
				0158 – Bloomingdale's VDF location

Note: Order level N1 segment is used to access store number; segment must be present to get store number. Segment only used when entity code is BY in the order hierarchy level to retrieve the store number.

Order level N1 segment is required for the 856 application.

M	HL (Pack)		Hierarchical ID Number Hierarchical Level code	Unique Number P – Pack
М	MAN	MAN01	Marks and Numbers Qualifier	Code to Identify Number Source GM – General Merchandise
		MAN02	Marks and Numbers	Marks and Numbers Used to Identify Shipment

**Note:** MAN segment is used to identify carton number when it follows pack level HL segment. MAN segment is required if data is to be viewed at carton number level.

M*/O*	S <b>Seggmeen</b> n t	D <b>D</b> tata	E <b>leleree</b> ht	Valvaelu@kolonnemests
	HL	HL101	Hierarchical ID Number	Unique Number
	(Item)	HL103	Hierarchical Level code	I – Item
M	LIN	LIN02	Product/Service ID Qualifier	Code to Identify Type of Information Within the Set UP – UPC Number Identifier EN – European Article Number UK – GTIN Number
		LIN03	Product/Service ID	Identifying Number of Product UPC Number (12 Digits) EAN Number (13 Digits) GTIN Number (14 Digits)

**Note:** LIN segment used to access all UPC numbers associated with the order. Other information such as vendor style, color, or size will be ignored. LIN02 qualifiers cannot repeat within the same LIN segment. LIN segment is required for the 856 application.

M	SN1	SN102 Nun	nber of Units Shipped	Number of Selling Units Shipped for
				LIN Segment Just Sent.
		SN103 UOI	M Code	EA – Unit of Measure Always Each

**Note:** SN1 segment only used to retrieve quantity information about the item information contained on the preceding LIN segment. The SN1 segment must follow the related LIN segment in the transmission for the 856 application to work correctly.

# **Summary Segments**

M*/O*	Segment	Data	Element	Value/Comments
М	CTT	CTT01	Number of Line Items	Total Number of HL Segments in Transaction Set
М	SE	SE01	Total Number of Segments	Segment Count Including ST and SE
		SE02	Control Number	Segments Sequential number, Same as in ST02

## **Trailer Envelope Segments**

	M*/O*	Segment	Data	Element	Value/Comments
	М	GE	GE01	Total Number of ST Segments	Total Number of ST Segments
			GE02	Control Number	Sequential Number, Same as in GS06
•	М	IEA	IEA01	Total Number of GS Segments	Total Number of GS Segments
			IEA02	Control Number	Sequential Number, Same as in ISA13